



PREMIUM ALUMINIUM WHEELS

**Up to 5 years
manufacturer's guarantee**



Bohnenkamp

■ ■ ● Moving Professionals

Art. No.	Rim size	Connection	Type of bolt hole	Centring	Offset
309.64.010	7.50 x 19.5	8/221/275	Ø 24, M20/M22	MZ	137
309.64.015	7.50 x 19.5	8/221/275	Ø 24, M20/M22	MZ	137
309.64.020	7.50 x 19.5	8/221/275	Ø 32, M20/M22	MZ	137
309.64.025	7.50 x 19.5	8/221/275	Ø 32, M20/M22	MZ	137
309.64.030	8.25 x 22.5	10/281/335	Ø 26, M20/M22	MZ	148
309.64.035	8.25 x 22.5	10/281/335	Ø 26, M20/M22	MZ	148
309.64.040	8.25 x 22.5	10/281/335	Ø 32, M20/M22	MZ	148
309.64.045	8.25 x 22.5	10/281/335	Ø 32, M20/M22	MZ	148
309.64.050	9.00 x 22.5	10/281/335	Ø 26, M20/M22	MZ	153
309.64.055	9.00 x 22.5	10/281/335	Ø 26, M20/M22	MZ	153
309.64.060	9.00 x 22.5	10/281/335	Ø 32, M20/M22	MZ	153
309.64.065	9.00 x 22.5	10/281/335	Ø 32, M20/M22	MZ	153
309.64.070	11.75 x 22.5	10/281/335	Ø 26, M20/M22	MZ	0
309.64.075	11.75 x 22.5	10/281/335	Ø 26, M20/M22	MZ	0
309.64.080	11.75 x 22.5	10/281/335	Ø 32, M20/M22	MZ	0
309.64.085	11.75 x 22.5	10/281/335	Ø 32, M20/M22	MZ	0
309.64.090	11.75 x 22.5	10/281/335	Ø 26, M20/M22	MZ	120
309.64.095	11.75 x 22.5	10/281/335	Ø 26, M20/M22	MZ	120
309.64.100	11.75 x 22.5	10/281/335	Ø 32, M20/M22	MZ	120
309.64.105	11.75 x 22.5	10/281/335	Ø 32, M20/M22	MZ	120
309.64.110	11.75 x 22.5	10/281/335	Ø 26, M20/M22	MZ	135
309.64.115	11.75 x 22.5	10/281/335	Ø 26, M20/M22	MZ	135
309.64.120	11.75 x 22.5	10/281/335	Ø 32, M20/M22	MZ	135
309.64.125	11.75 x 22.5	10/281/335	Ø 32, M20/M22	MZ	135

MZ = centred



XP aluminium rim - POLISH

- Premium polish on both sides
- radiant surfaces
- low net weight
- easy to clean by hand washing

Valve	Load carrying capacity	Speedindex (km/h)	Weight (kg)		Surface	Comment	KBA number
ILV	3045	130	17,7	XP	polish	with valve	ACC1950750159
ILV	3045	130	17,7	XPC	polish + Accu-Shield	with valve	ACC1950750159
ILV	3045	130	17,7	XP	polish	with valve	ACC1950750159
ILV	3045	130	17,7	XPC	polish + Accu-Shield	with valve	ACC1950750159
ILV	3650	130	23,5	XP	polish	with valve	ACC2250825170
ILV	3650	130	23,5	XPC	polish + Accu-Shield	with valve	ACC2250825170
ILV	3650	130	23,4	XP	polish	with valve	ACC2250825170
ILV	3650	130	23,4	XPC	polish + Accu-Shield	with valve	ACC2250825170
ILV	4125	130	24,5	XP	polish	with valve	ACC2250900175
ILV	4125	130	24,5	XPC	polish + Accu-Shield	with valve	ACC2250900175
ILV	4125	130	24,4	XP	polish	with valve	ACC2250900175
ILV	4125	130	24,4	XPC	polish + Accu-Shield	with valve	ACC2250900175
ILV	5000	130	23,0	XP	polish	with valve	ACC2251175000
ILV	5000	130	23,0	XPC	polish + Accu-Shield	with valve	ACC2251175000
ALV	5000	130	22,9	XP	polish	with valve	ACC2251175000
ALV	5000	130	22,9	XPC	polish + Accu-Shield	with valve	ACC2251175000
ALV	5000	130	26,1	XP	polish	with valve	ACC2251175120
ALV	5000	130	26,1	XPC	polish + Accu-Shield	with valve	ACC2251175120
ALV	5000	130	25,6	XP	polish	with valve	ACC2251175120
ALV	5000	130	25,6	XPC	polish + Accu-Shield	with valve	ACC2251175120
ALV	5000	130	27,8	XP	polish	with valve	ACC2251175135
ALV	5000	130	27,8	XPC	polish + Accu-Shield	with valve	ACC2251175135
ALV	5000	130	28,0	XP	polish	with valve	ACC2251175135
ALV	5000	130	28,0	XPC	polish + Accu-Shield	with valve	ACC2251175135

ILV = internal valve
ALV = external valve

XPC aluminium rim - POLISH + ACCU-SHIELD

- Premium polish on both sides
- radiant surfaces
- low net weight
- + special surface treatment "ACCU-SHIELD"
- + outstanding self-cleaning effect



Reliability and expertise

Headquartered in Evansville, Indiana, Accuride Corporation is a leading manufacturer and supplier of aluminium rims for the North American and European commercial vehicle markets.

With over 160 years of manufacturing experience, Accuride offers innovative technology, a broad product portfolio and first-class operating performance – as a reliable partner for OEMs, fleets and all aftermarket channels.

As an ISO certified company, Accuride offers the highest technological standard and best quality.

- **Up to 5 years manufacturer's guarantee**
- **European standard "Made in USA"**
- **low wear - long life**
- **attractive price-performance ratio**
- **tested according to ZWARP ***

* Two axial wheel test

Bohnenkamp AG Dieselstraße 14 · 49076 Osnabrück · Tel.: +49 541 12163-0 · www.bohnenkamp.com

Landshut Branch Office, 84051 Altheim
Leipzig Sales Office, 06184 Kabelsketal

Kletzin Branch Office, 17111 Kletzin
Lüneburg Sales Office, 21337 Lüneburg

Bohnenkamp s.r.o., 900 01 Modra, Slovakia
Bohnenkamp Benelux, 3905 KX Veenendaal, Netherlands
Bohnenkamp Austria GesmbH, 4063 Hörsching, Austria
Bohnenkamp Suisse AG, 4466 Ormalingen, Suisse

Bohnenkamp A/S, 8464 Galten, Danmark
Bohnenkamp Sweden AB, S-33134 Värnamo, Sweden
Bohnenkamp Eastern Group, LV-2127 Riga, Latvia